

Huizhou Minjie Technology Co., Ltd

Add: Yong Jun Road, Qianjin Industrial Park, Chenjiang, Huizhou, Guangdong, China
Tel: +86 0752 7387 499 Contact: Candy Shi Email: candyshi@minj.cn
www.minjcode.com



Model MJ 5860: POS 58mm Thermal Receipt Printer, USB or Bluetooth connectivity optional



Product Features:

- Support raster bitmap printing
- Easy paper install structure, simple and convenient to operate
- Built-in power supply design, to save space and more convenient to configure;
- Support GB18030 big font, easy to print uncommon characters
- Support multi language print, suitable for users all over the world;
- Support download and print LOGO & graphics ;
- Support Windows, Linux, Android and IOS system printing;
- Built in data buffer, print and receive data at the same time;
- Support character zoom, rotation, adjustable line spacing printing character;
- The power consumption is small, and without ribbon cartridge, low use cost;
- Compatible with ESC/POS instruction set;
- With USB interface, bluetooth interface optional;

Huizhou Minjie Technology Co., Ltd

Add: Yong Jun Road, Qianjin Industrial Park, Chenjiang, Huizhou,GuangDong, China

Tel: +86 0752 7387 499 Contact: Candy Shi Email: candyshi@minj.cn

www.minjcode.com



Technical Parameters

Items		Parameters
Print parameters	Printing Method	Direct thermal line printing
	Printing Width	48MM
	Resolution	384dots/Line (8dots/mm, 203dpi)
	Printing Speed	90mm/Second
	Interface Type	USB,Bluetooth optional
	Line Spacing	3.75 mm (Can adjust line spacing by command)
	Column Number	Font A:32 character /Line Font B:42 character/Line Simple,traditional Chinese-16 lines
	Character	Standard GB18030 simplified/traditional Chinese Fonts
Bar code & Character	Character Size	ANKcharacter, Font A: 1.5×3.0mm (12×24 dot) Font B: 1.1×2.1mm (9×17 dot) Simplified/Traditional Chinese: 3.0×3.0mm(24×24 dot)
	Extended character set	PC437/Katakana/PC850/PC860/PC863/PC865/WestEurope/Greek/Hebrew/EastEurope /Iran/WPC1252/PC866/PC852/PC858/IranI I/Latvian/Arabic/PT151,1251/PC737/WPC/1257/ThaiVietnam/PC864/PC1001/(Latvian)/(PC1001)/(PT151,1251)/(WPC1257)/(PC864)/(Vietnam)/(Thai)
	Bar code	UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)CODE39/ITF/CODABAR/CODE93/CODE128
Graphics printing	Graphics printing	Supports bitmap download and print
Paper	Type	Thermal Roll
	Width	57.5±0.5mm
	Diameter	≤60mm
	Feed Method	Easy feed (Clameshell feed)

Huizhou Minjie Technology Co., Ltd

Add: Yong Jun Road, Qianjin Industrial Park, Chenjiang, Huizhou,GuangDong, China

Tel: +86 0752 7387 499 Contact: Candy Shi Email: candyshi@minj.cn

www.minjcode.com



Commands	Command s	ESC/POS
Power	Power Adaptor	Input: AC 100V-240V,50-60Hz Output: DC 12V/2A
	Casher Drawer output	DC 12V/1A
Buffer	Input Buffer	32K bytes
	NV Flash	40K bytes
Physicacharacteristics	Weight	590g
	Dimension	185*130*112(MM)
Environment	Working	Temp: 5 ~ 45℃,Humidity: 10 ~ 80%
	Storage	Temp: -10 ~ 50℃,Humidity: 10 ~ 90% (No dew)
Reliability parameter	Print Head Life	50KM (print density≤12.5)
Software	Driver	Android,IOS,Linux,Win2000,Win2003,WinXP,Win7,Win8,Win8.1,Win10

